

宮城県公共用水域水質測定結果（海域）

| 項目名 | 注意事項等 | 項目 コード | 620-03A0 工業港沖 (K-3) | | 620-04A0 長浜沖 (N-4) | | 620-05A0 雲雀野海岸沖 (H-3) | | 601-01C0 港 橋 | | 602-01B0 西 浜 | | 602-51B 馬放島西 (MK-A5) | | 603-01A0 桂 島 | | 603-55A 桂 島 西 | | 603-56A 内 裡 島 沖 | | 603-57A 松 島 海 岸 沖 | | 603-58A 蛇 島 崎 西 | | 603-59A 蛇 島 崎 東 | | 611-03B0 御 殿 崎 - 1 | | 612-01A0 菖 蒲 田 前 - 1 | | |
|-------------------|----------|------------|---------------------------|-----------|--------------------------|------------|-----------------------------|------------|-----------------|------------|-----------------|------------|----------------------------|------------|-----------------|------------|------------------|------|--------------------|------|----------------------|------|--------------------|------|--------------------|------|-----------------------|------|-------------------------|------|--|
| | | | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | |
| *測定年度 | 西暦下2桁 | 002 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| *測定地点番号 | 文字 | 001 | 620-03 | 16 | 620-04 | 16 | 620-05 | 16 | 601-01 | 16 | 602-01 | 16 | 602-51 | 16 | 603-01 | 16 | 603-55 | 16 | 603-56 | 16 | 603-57 | 16 | 603-58 | 16 | 603-59 | 16 | 611-03 | 16 | 612-01 | 16 | |
| *調査区分コード | 数値1桁 | 004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| *採水月日 | 数値(MMDD) | 101 | 0213 | 0213 | 0213 | 0213 | 0213 | 0213 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | 0214 | |
| *採水時刻 | 数値(HHMM) | 102 | 1047 | 0943 | 1016 | 1107 | 1056 | 1100 | 0703 | 0709 | 0627 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | 0636 | |
| *採水位置コード | コード2桁 | 107 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |
| *採水水深 (m) | | 999.9108 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | |
| 全水深 (m) | | 99.9109 | 14.3 | 7.4 | 12.6 | 4.5 | 10.2 | 5.7 | 2.9 | 7.6 | 3.7 | 3.8 | 2.7 | 3.0 | 10.8 | 8.2 | | | | | | | | | | | | | | | |
| 透明度 (m) | | 9.9110 | 2.6 | 2.5 | 1.7 | 3.5 | 3.0 | 2.6 | 2.4 | 3.5 | 3.7 | 3.1 | 2.4 | | | | | | | | | | | | | | | | | | |
| 天気コード | コード2桁 | 103 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | |
| 降雨状況 | コード3桁 | 901 | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | |
| 気温(度) | | 99.9104 | 5.5 | 4.1 | 6.1 | 5.0 | 4.0 | 4.0 | 0.0 | 0.0 | -1.5 | -0.5 | -1.0 | -1.0 | 4.8 | 4.8 | | | | | | | | | | | | | | | |
| 水温(度) | | 99.9105 | 8.2 | 7.4 | 7.9 | 5.7 | 5.4 | 5.7 | 4.9 | 5.5 | 4.4 | 4.3 | 4.1 | 4.1 | 8.2 | 7.4 | | | | | | | | | | | | | | | |
| pH | | 99.9201 | 8.0 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | | | | | | | | | | | | | | | |
| DO (mg/L) | | 99.9202 | 9.2 | 9.4 | 9.3 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 9.3 | 9.6 | | | | | | | | | | | | | | | |
| BOD (mg/L) | | 99.9203 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COD (mg/L) | | 99.9204 | 1.2 | 1.5 | 1.7 | 1.9 | | | | 1.5 | 1.5 | 1.6 | 2.0 | 1.8 | 2.0 | 1.4 | | | | | | | | | | | | | | | |
| SS (mg/L) | | 9999205 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100mL) | | 1.0E+99206 | < 1.8E+00 | < 1.8E+00 | < 3.4E+02 | | | | | < 1.8E+00 | < 1.8E+00 | < 1.8E+00 | < 1.8E+00 | < 2.0E+00 | < 1.8E+00 | < 1.8E+00 | | | | | | | | | | | | | | | |
| n-キサン(油分) | (mg/L) | 99.9207 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | | | | | | | | | | | | | |
| 全窒素 | (mg/L) | 99.99208 | 0.26 | 0.26 | 0.28 | 0.36 | 0.34 | 0.28 | 0.25 | 0.24 | 0.23 | 0.22 | 0.23 | 0.19 | 0.28 | 0.28 | | | | | | | | | | | | | | | |
| 全リン | (mg/L) | 99.999209 | 0.020 | 0.022 | 0.025 | 0.039 | 0.034 | 0.023 | 0.021 | 0.016 | 0.014 | 0.014 | 0.017 | 0.016 | 0.022 | 0.018 | | | | | | | | | | | | | | | |
| 鉛 | (mg/L) | 9.999301 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 六価クロム | (mg/L) | 9.999302 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 鉛 | (mg/L) | 9.999304 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 六価クロム | (mg/L) | 9.999305 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 砒素 | (mg/L) | 9.999306 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 総水銀 | (mg/L) | 9.9999307 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7メチル水銀 | (mg/L) | 9.9999308 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PCB | (mg/L) | 9.9999309 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ジクロロメタン | (mg/L) | 9.999310 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 四塩化炭素 | (mg/L) | 9.9999311 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/L) | 9.9999312 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1-ジクロロエチレン | (mg/L) | 9.999313 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| トリス(1,2-ジクロロエチル) | (mg/L) | 9.999314 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1,1-トリクロロエタン | (mg/L) | 9.999315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1,2-トリクロロエタン | (mg/L) | 9.9999316 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| トリクロロエチレン | (mg/L) | 9.999317 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| テトラクロロエチレン | (mg/L) | 9.9999318 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3-ジクロロプロペン | (mg/L) | 9.9999319 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| チオアム | (mg/L) | 9.9999320 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| シマジン | (mg/L) | 9.9999321 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| チオベンゾチアゾール | (mg/L) | 9.999322 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ベンゼン | (mg/L) | 9.999323 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| セレン | (mg/L) | 9.999324 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 硝酸性窒素及び亜硝酸性窒素 | (mg/L) | 9.999325 | 0.065 | 0.065 | 0.065 | 0.085 | 0.085 | 0.055 | 0.015 | 0.035 | 0.015 | 0.015 | 0.015 | 0.015 | 0.065 | 0.065 | | | | | | | | | | | | | | | |
| フッ素 | (mg/L) | 99.9326 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ホウ素 | (mg/L) | 9.99327 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,4-ジオキササン | (mg/L) | 9.999328 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 亜鉛 | (mg/L) | 99.99403 | | | | 0.005 | 0.003 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | < 0.001 | | | | | | | | | | | | | | | |
| ニトロフェノール | (mg/L) | 9.9999904 | | | | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | < 0.00006 | | | | | | | | | | | | | | | |
| ニトロフェノール異性体No.1 | (mg/L) | 9.9999909 | | | | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | < 0.000018 | | | | | | | | | | | | | | | |
| ニトロフェノール異性体No.2 | (mg/L) | 9.9999910 | | | | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | < 0.000047 | | | | | | | | | | | | | | | |
| ニトロフェノール異性体No.3 | (mg/L) | 9.9999911 | | | | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | < 0.000071 | | | | | | | | | | | | | | | |
| ニトロフェノール異性体No.4 | (mg/L) | 9.9999912 | | | | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | < 0.000030 | | | | | | | | | | | | | | | |
| ニトロフェノール異性体No.5 | (mg/L) | 9.9999913 | | | | < 0.000028 | < 0.000028 | | | | | | | | | | | | | | | | | | | | | | | | |

宮城県公共用水域水質測定結果（海域）

| 項目名 | 注意事項等 | 項目コード | 612-02A0 | 613-01C0 | 614-01B0 | 615-01A0 | 625-07A0 | 625-08A0 | 625-10A0 | 625-11A0 | 625-56A | 625-57A | 625-66A | 625-78A |
|-------------------------|----------|-------|----------|-----------|-----------|-----------|----------|----------|----------|----------|---------|---------|---------|---------|
| | | | 御殿崎-2 | 二ノ倉前-1 | 二ノ倉前-2 | 二ノ倉前-3 | 雄勝地先 | 荻浜地先 | 広田湾 | 追波湾 | 長面湾 | 鳥の海出口 | 山元・磯浜沖 | 鮫ノ浦 |
| *測定年度 | 西暦下2桁 | 002 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| *測定地点番号 | 文字 | 001 | 612-02 | 613-01 | 614-01 | 615-01 | 625-07 | 625-08 | 625-10 | 625-11 | 625-56 | 625-57 | 625-66 | 625-78 |
| *調査区分コード | 数値1桁 | 004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *採水月日 | 数値(MMDD) | 101 | 0214 | 0214 | 0214 | 0214 | 0220 | 0213 | 0220 | 0220 | 0220 | 0214 | 0214 | 0213 |
| *採水時刻 | 数値(HHMM) | 102 | 1028 | 0937 | 0941 | 0945 | 1050 | 0847 | 0620 | 0959 | 1021 | 0919 | 0845 | 0720 |
| *採水位置コード | コード2桁 | 107 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| *採水水深 (m) | 999.9 | 108 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 全水深 (m) | 99.9 | 109 | 18.0 | 14.5 | 18.9 | 20.4 | 35.6 | 12.9 | 38.4 | 17.3 | 4.7 | 3.9 | 7.3 | 43.7 |
| 透明度 (m) | 9.9 | 110 | 2.9 | 2.6 | 2.3 | 3.6 | 12.5 | 6.9 | 10.4 | 9.8 | 4.7 | 2.8 | 2.4 | 11.8 |
| 天候コード | コード2桁 | 103 | 02 | 02 | 02 | 02 | 04 | 02 | 04 | 04 | 04 | 02 | 02 | 02 |
| 降雨状況 | コード3桁 | 901 | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× |
| 気温(度) | 99.9 | 104 | 5.0 | 4.2 | 4.0 | 3.5 | 10.2 | 2.9 | 1.2 | 10.2 | 12.1 | 4.0 | 4.5 | 3.2 |
| 水温(度) | 99.9 | 105 | 8.1 | 8.9 | 8.6 | 8.5 | 8.0 | 6.4 | 7.1 | 5.2 | 8.0 | 7.3 | 8.0 | 8.7 |
| pH | 99.9 | 201 | 8.1 | 8.0 | 8.0 | 8.1 | 8.0 | 8.0 | 8.1 | 7.8 | 8.0 | 8.0 | 8.1 | 8.0 |
| DO (mg/L) | 99.9 | 202 | 9.2 | 8.7 | 9.1 | 9.4 | 9.2 | 9.9 | 9.5 | 12 | 9.6 | 9.7 | 9.4 | 9.3 |
| BOD (mg/L) | 99.9 | 203 | | | | | | | | | | | | |
| COD (mg/L) | 99.9 | 204 | 0.9 | 5.8 | 5.1 | 1.6 | 1.0 | 1.2 | 1.2 | 2.5 | 1.4 | 1.9 | 1.3 | 1.1 |
| SS (mg/L) | 9999 | 205 | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 1.0E+99 | 206 | 2.0E+00 | | | 7.9E+01 | 1.8E+00 | 1.8E+00 | 1.8E+00 | 2.3E+01 | 1.8E+00 | 7.8E+00 | 1.8E+00 | 1.8E+00 |
| n-ヘキサン(油分) (mg/L) | 99.9 | 207 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 全窒素 (mg/L) | 99.99 | 208 | 0.32 | 0.26 | 0.25 | 0.21 | 0.31 | 0.31 | 0.25 | 0.99 | 0.31 | 0.39 | 0.28 | 0.32 |
| 全リン (mg/L) | 99.999 | 209 | 0.021 | 0.016 | 0.013 | 0.014 | 0.019 | 0.015 | 0.014 | 0.039 | 0.018 | 0.029 | 0.017 | 0.017 |
| 銅 (mg/L) | 9.999 | 301 | | | | | | | | | | | | |
| 鉛 (mg/L) | 9.999 | 302 | | | | | | | | | | | | |
| 六価クロム (mg/L) | 9.999 | 304 | | | | | | | | | | | | |
| 砒素 (mg/L) | 9.999 | 305 | | | | | | | | | | | | |
| 総水銀 (mg/L) | 9.9999 | 307 | | | | | | | | | | | | |
| メチル水銀 (mg/L) | 9.9999 | 308 | | | | | | | | | | | | |
| PCB (mg/L) | 9.9999 | 309 | | | | | | | | | | | | |
| ジクロロメタン (mg/L) | 9.999 | 310 | | | | | | | | | | | | |
| 四塩化炭素 (mg/L) | 9.9999 | 311 | | | | | | | | | | | | |
| 1,2-ジクロロエタン (mg/L) | 9.9999 | 312 | | | | | | | | | | | | |
| 1,1-ジクロロエチレン (mg/L) | 9.999 | 313 | | | | | | | | | | | | |
| シス-1,2-ジクロロエチレン (mg/L) | 9.999 | 314 | | | | | | | | | | | | |
| 1,1,1-トリクロロエタン (mg/L) | 9.999 | 315 | | | | | | | | | | | | |
| 1,1,2-トリクロロエタン (mg/L) | 9.9999 | 316 | | | | | | | | | | | | |
| トリスクロロエチレン (mg/L) | 9.999 | 317 | | | | | | | | | | | | |
| テトラクロロエチレン (mg/L) | 9.9999 | 318 | | | | | | | | | | | | |
| 1,3-ジクロロプロペン (mg/L) | 9.9999 | 319 | | | | | | | | | | | | |
| チオール (mg/L) | 9.9999 | 320 | | | | | | | | | | | | |
| シマジン (mg/L) | 9.9999 | 321 | | | | | | | | | | | | |
| チオベンザル (mg/L) | 9.999 | 322 | | | | | | | | | | | | |
| ベンゼン (mg/L) | 9.999 | 323 | | | | | | | | | | | | |
| ゼレン (mg/L) | 9.999 | 324 | | | | | | | | | | | | |
| 硝酸性窒素及び亜硝酸性窒素 (mg/L) | 9.999 | 325 | 0.065 | | | | 0.10 | 0.075 | 0.045 | 0.68 | 0.085 | 0.095 | 0.035 | 0.085 |
| フッ素 (mg/L) | 99.9 | 326 | | | | | | | | | | | | |
| ホウ素 (mg/L) | 9.99 | 327 | | | | | | | | | | | | |
| 1,4-ジオキサン (mg/L) | 9.999 | 328 | | | | | | | | | | | | |
| 亜鉛 (mg/L) | 99.99 | 403 | | 0.001 | 0.001 | 0.001 | | | | | | | | |
| ニトロフェノール (mg/L) | 9.99999 | 904 | | 0.00020 | 0.00006 | 0.00006 | | | | | | | | |
| ニトロフェノール異性体No.1 (mg/L) | 9.99999 | 409 | | 0.000041 | 0.000011 | 0.000018 | | | | | | | | |
| ニトロフェノール異性体No.2 (mg/L) | 9.99999 | 410 | | 0.0000072 | 0.0000047 | 0.0000047 | | | | | | | | |
| ニトロフェノール異性体No.3 (mg/L) | 9.99999 | 411 | | 0.0000071 | 0.0000071 | 0.0000071 | | | | | | | | |
| ニトロフェノール異性体No.4 (mg/L) | 9.99999 | 412 | | 0.0000048 | 0.0000030 | 0.0000032 | | | | | | | | |
| ニトロフェノール異性体No.5 (mg/L) | 9.99999 | 413 | | 0.0000033 | 0.0000028 | 0.0000028 | | | | | | | | |
| ニトロフェノール異性体No.6 (mg/L) | 9.99999 | 414 | | 0.0000031 | 0.000010 | 0.0000031 | | | | | | | | |
| ニトロフェノール異性体No.7 (mg/L) | 9.99999 | 415 | | 0.0000080 | 0.0000041 | 0.0000026 | | | | | | | | |
| ニトロフェノール異性体No.8 (mg/L) | 9.99999 | 416 | | 0.000024 | 0.0000029 | 0.0000091 | | | | | | | | |
| ニトロフェノール異性体No.9 (mg/L) | 9.99999 | 417 | | 0.000022 | 0.0000032 | 0.0000032 | | | | | | | | |
| ニトロフェノール異性体No.10 (mg/L) | 9.99999 | 418 | | 0.000029 | 0.0000058 | 0.0000025 | | | | | | | | |
| ニトロフェノール異性体No.11 (mg/L) | 9.99999 | 419 | | 0.000030 | 0.0000051 | 0.000013 | | | | | | | | |
| ニトロフェノール異性体No.12 (mg/L) | 9.99999 | 420 | | 0.000062 | 0.0000020 | 0.0000024 | | | | | | | | |
| ニトロフェノール異性体No.13 (mg/L) | 9.99999 | 421 | | 0.000015 | 0.0000027 | 0.0000027 | | | | | | | | |
| LAS (mg/L) | 9.99999 | 940 | | 0.0053 | 0.0028 | 0.0006 | | | | | | | | |
| C10-LAS (mg/L) | 9.99999 | 941 | | 0.0010 | 0.0004 | 0.0001 | | | | | | | | |
| C11-LAS (mg/L) | 9.99999 | 942 | | 0.0028 | 0.0014 | 0.0002 | | | | | | | | |
| C12-LAS (mg/L) | 9.99999 | 943 | | 0.0010 | 0.0006 | 0.0001 | | | | | | | | |
| C13-LAS (mg/L) | 9.99999 | 944 | | 0.0004 | 0.0003 | 0.0001 | | | | | | | | |
| C14-LAS (mg/L) | 9.99999 | 945 | | 0.0001 | 0.0001 | 0.0001 | | | | | | | | |
| E P N (mg/L) | 9.999 | 501 | | | | | | | | | | | | |
| 養分性大腸菌群数 (個/100ml) | 1.0E+99 | | | | | | | | | | | | | |
| 塩化物イオン (mg/L) | 99999 | 607 | 18400 | 17100 | 18100 | 18600 | 18400 | 17900 | 18600 | 2840 | 18300 | 16600 | 18500 | 18400 |
| リブリン酸 (mg/L) | 9.999 | | 0.017 | | | | 0.014 | 0.010 | 0.008 | 0.033 | 0.014 | 0.023 | 0.011 | 0.013 |
| アモニウム窒素 (mg/L) | 99.99 | 511 | 0.05 | | | | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 |
| 亜硝酸性窒素 (mg/L) | 9.999 | 512 | 0.005 | | | | 0.005 | 0.005 | 0.005 | 0.014 | 0.005 | 0.005 | 0.005 | 0.005 |
| 硝酸性窒素 (mg/L) | 99.99 | 513 | 0.06 | | | | 0.10 | 0.07 | 0.04 | 0.67 | 0.08 | 0.09 | 0.03 | 0.08 |
| 界面活性剤 (mg/L) | 99.99 | 620 | | | | | | | | | | | | |
| 色度 (mg/L) | 9999 | 701 | | 4 | 3 | 1 | | | | | | | | |
| COD(7h法) (mg/L) | 99.9 | 574 | | | | | | | | | | | | |
| 透明度 (cm) | 99 | 602 | > | 50 | > | 50 | > | 50 | > | 50 | > | 50 | > | 50 |
| 色相コード | コード3桁 | 123 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 |
| 臭気コード | コード3桁 | 124 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| 濁りコード | コード2桁 | 125 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| 干潮時刻 | | 131 | 1139 | 1139 | 1139 | 1139 | 1719 | 1104 | 0214 | 1719 | 1719 | 1139 | 1139 | 1104 |
| 満潮時刻 | | 132 | 0551 | 0551 | 0551 | 0551 | 0853 | 0528 | 0853 | 0853 | 0853 | 0551 | 0551 | 0528 |
| 備考 | | | | | | | | | | | 工事中 | | | |